



KLEO X

— R A N G E —

Engineering for high performance and versatility

KLEO X


Evolved from products past, and designed for the forward-thinking innovators of Australia's design and construction world, mLight are excited to expand the range of Kleo X; the enhanced face of commercial, education, and healthcare lighting solutions.



IES VIC/TAS Chapter Lighting Innovation
Award of Commendation 2019 *for Kleo X 78

Lightlocked to perfection.


A powerful combination of engineered features means the Kleo X lighting solution is not only free from light leakage but solves common installation issues for convenience onsite and beyond.



LightLock Joins and Endcaps are specifically designed and manufactured to ensure zero light leakage from the Kleo X Range, achieving seamless, uninterrupted lengths and ends.


The **RotaTech** easy-access system reduces the potential for electrical or mechanical damage during the process or installation or servicing, decreasing time spent on-site.

Our **mConnect™** connection system joins profiles together seamlessly, as easy as 1, 2, 3.



Optimised light for life, done beautifully.

Our speciality is light, and we continually optimise our fittings to get the best light output for any lighting solution and configuration.



With careful engineering and our specific blend of white, the **Photron Chamber** scatters and reflects light beams allowing for a beautiful, evenly lit diffuser, irrespective of the selected external finish. It also allows the Kleo X Range to reach efficient, benchmark-setting outputs; achieving more with less.


milight
PRECISION

Our new **Precision Linear LED boards**, achieving **MacAdam 2** makes worrying about colour consistency a thing of the past.




Light Distribution.

Up high.




Down Low.



The variety of direct and indirect **light distributions** allows for creative and flexible illumination in any application.

Design the exterior to suit your needs.

At mLight, we understand that products need customisation options that satisfy any project and its architectural requirements.



The Kleo X Range now comes in **3 size alternatives** to suit all architectural spaces. High-ceilings, intricate architectural details, corridors, corners; the Kleo X Range can fit everywhere and be mounted to accommodate your installation needs.

An endless selection of **colour and finish** options provides designers with the peace-of-mind that lights can either blend in or stand out in any space.


Standard Powder Coating



Decorative Options Timber Look




Concrete Look



Rust Look



*We also can do custom powder coat in any colour to suit your project







Don't just think in linear lines; the Kleo X Range offers the ability to add **mitred intersections** to lighting solutions, for continuing lines of light or exciting shape combinations.

Compliance and aesthetics combined.

We believe that meeting the necessary industry compliances is essential for all project types to provide peace-of-mind when specifying the Kleo X Range.

- Environmentally protected up to IP65
- Integrated emergency lighting
- Cyanosis approval
- IC thermal compliance



	Kleo X 58	Kleo X 78	Kleo X 105
Line Drawing			
Mounting	Wire Suspended Rod Suspended Surface Mounted Wall Mounted Recessed		
Flux Range *Subject to configuration	660 to 5500 Lm/m	670 to 6590 Lm/m	1400 to 9900 Lm/m
Power Consumption Range *Subject to configuration	5.0 to 43.0 W/m	5.0 to 56.0 W/m	10.0 to 78.0 W/m
Luminous Efficacy *Subject to configuration	Up to 121 lm/W	Up to 122 lm/W	Up to 137 lm/W

INTEGRATE LIGHT WITH LIFE, BEAUTIFULLY
