




# PICO

Thin feature lighting with a splash of colour

# Pico

Designed around RGB strip-lighting technologies and with a CRI of 90+, the Pico is the perfect slim-sized profile




## Compact, slim profile

Pico's small profile makes it easier to fit in any design space. With a 35 mm width and 40 mm height, it is one of our compact lighting products.

## Light for Every Moods

Choose your light to suit your moods. Pico's use of LED Tape allows it to provide vibrant colour options for any preference.




## Built Your Ambience

LED Tape gives you the flexibility to build the right ambience in your design.

# Light Distribution

The Pico’s light distribution is controlled through a diffuser, which allows you to diffuse the light to create a more comfortable environment.



Diffused



## Integrate with MasterConnect™

Integrate the Philips SNS Sensors into your Pico project and enable the feature set of the Philips MasterConnect system, giving you all the benefits of a wireless smart lighting ecosystem, such as grouping option, scene and scheduling, even occupancy and daylight sensor.

# Finish Output

Various finish options available, from a broad spectrum of colors to textured finishes that blend and compliment the project design.

Standard Powder Coatings



Natural Look Finishes



|                                                                     | Pico                                              |
|---------------------------------------------------------------------|---------------------------------------------------|
| Line Drawing                                                        |                                                   |
| Mounting                                                            | Wire Suspended<br>Surface Mounted<br>Wall Mounted |
| Flux Range<br><small>*Subject to configuration</small>              | 260 to 1100 lm/m                                  |
| Power Consumption Range<br><small>*Subject to configuration</small> | 6.0 to 27.0 W/m                                   |
| Luminous Efficacy<br><small>*Subject to configuration</small>       | 6.0 to 27.0 W/m                                   |

INTEGRATE LIGHT WITH LIFE, BEAUTIFULLY

---