

ALTEVO

WALL WASHER

Thoughtfully Designed. Engineered to Illuminate.

ALTEVO Wall Washer

LED Downlight - Catalogue



Ø62 x 55 H mm
Trim Round, **9W**



Ø82 x 67.7 H mm
Trim Round, **12W**

ALTEVO Wall Washer 55

Physical

Style & Shape
Trim, Round

Dimensions
Ø62 x 55 H mm

Finish Options
Ring Black, White

Mounting Option
Recessed

Environmental
IP20

Warranty
5 Years

Electrical




Control Gear
Remote

Power Consumption
9W

Luminous Efficacy
Up to 55.3 Lm/W @ 498 lm, 9W

Luminous Maintenance
54,000hrs (L80 B10)

Dimming Options
Fixed Output
DALI-2
1 - 10V
TRIAC
Bluetooth *available upon request*
Zigbee *available upon request*
Casambi *available upon request*



Photometrics

Flux Output
498 lm

Distributions
Beam Angle 80°

Light Source
LED COB

Colour Rendering Index
90+

Correlated Colour Temperature
White
2700K / 3000K / 3500K / 4000K / 5000K
Tunable White
2700 - 6000K

System Power	System Output	Beam	CCT	CRI
9W	498lm	80°	3000K Other CCTs available	>90

Specification Code

Code Guide RANGE-STYLE-SHAPE-FINISH-IP-POWER-DIM-OUTPUT-BEAM-CRI-CCT
Example ALTEVOWW55-TILT-ROUND-WHITE-IP20-9W-DALI-2-498LM-80D-935

ALTEVO Wall Washer 75

Physical

Style & Shape
Trim, Round

Dimensions
Ø82 x 67.7 H mm

Finish Options
Ring Black, White

Mounting Option
Recessed

Environmental
IP20

Warranty
5 Years

Electrical



Control Gear
Remote

Power Consumption
12W

Luminous Efficacy
Up to 62.3 Lm/W @ 748 lm, 12W

Luminous Maintenance
54,000hrs (L80 B10)

Dimming Options
Fixed Output
DALI-2
1 - 10V
TRIAC
Bluetooth *available upon request*
Zigbee *available upon request*
Casambi *available upon request*



Photometrics

Flux Output
748 lm

Distributions
Beam Angle 80°

Light Source
LED COB

Colour Rendering Index
90+

Correlated Colour Temperature
White
2700K / 3000K / 3500K / 4000K / 5000K
Tunable White
2700 - 6000K

System Power	System Output	Beam	CCT	CRI
12W	748lm	80°	3000K	>90

Specification Code

Code Guide RANGE-STYLE-SHAPE-FINISH-IP-POWER-DIM-OUTPUT-BEAM-CRI-CCT
Example ALTEVOWW75-TILT-ROUND-WHITE-IP20-12W-DALI-2-748LM-80D-935

INTEGRATE LIGHT WITH LIFE, BEAUTIFULLY
